

CEVERON 100 series

P

First fully automated coagulation analyzer series for clotting, chromogenic, turbidimetric assays, thrombin generation and quenching technology (FXIII & ADAMTS13 Activity)

An explosion of possibilities!

The evolution of fully automated testing continues

The first fully automated instrument series where you can combine classic haemostasis diagnostics with Thrombin Generation, Factor XIII Act* and ADAMTS13 Act*

Simultaneous measurement of five technologies.

Up to five technologies clotting, chromogenic, turbidimetric, thrombin generation and quenching can be run at the same time.

| | Clotting | Chromogenic | Turbidimetric | Thrombin Generation | FXIII Act* | ADAMTS13 Act* |
|-------------|--------------|--------------|---------------|------------------------|---------------|------------------|
| ceveron c | \checkmark | √ | \checkmark | | | |
| ceveron (C) | \checkmark | \checkmark | \checkmark | √ | | |
| ceveron C | \checkmark | \checkmark | ✓ | \checkmark | \checkmark | \checkmark |




*Quenching Module

High precision and flexibility

Rerun and reflex testing in combination with very low cv in routine and speciality testing, guarantee secure results for perfect diagnostics.


Having a minimal patient and reagent dead volume, adult's and children's samples can be run without any differentiation.


Due to the workflow of Ceveron 100 series an exact incubation time on each measurement is guaranteed.



Comparison of reaction curves (samples, QC and calibration curves)

Easy access to all raw datas, help comparing patient results, QC results and calibration curves.






Complete QC monitoring

- Westguard Rules
- · Laboratory specific confidence range
- 3s range
- · Lifetime of validation adjustable

Using values made available by Technoclone, via batch tables, local established results or preperiod results of new QC lots.



Fast, accurate and minimized maintenance time

With a throughput of 75 PT/hour, a TGA result below 20 minutes and an ADAMTS13 Act result within 25 minutes, Ceveron 100 series instruments are the perfect solution for fast and precise diagnostic of patients.

Ceveron 100 series is ready to use within 5 minutes after switching on the instrument.

No daily maintenance needed. Just 15 minutes once per week.

High traceability

Sample and reagent handling is fully traceable. With no difference in barcoded, or non barcorded sample and reagent handling.

All used reagent lots, for each measurement can be sent to LIS.

Actual temperatures during the pipetting, incubation and reaction of each sample are shown, and stored on Ceveron 100 series systems.



System and result security

Three security levels ensure, that just qualified users can run samples, perform calibrations or change settings.

On each security level, additional administrator rights can be set.

Due to the unlimited sample result storage, no QC or patient result can be lost due to limited storage capacity.

All results are stored on the Ceveron, until they are deleted manually.

Automatic or manual backup including raw data and system status.

The integrated logbook tracks all actions, created by the instrument, a user or the service technician.







Host connection

All Ceveron 100 series instruments are equipped with Windows 10 and use ASTM 1394 bidirectional host connection.

Obviously the Ceveron instruments can also operate in offline mode, as easy as connected to a LIS.

New intuitive icon based software

No matter which Ceveron 100 series instrument, they are using the same intuitive icon based, touch screen optimized software.

Operating the Ceveron 100 series instruments is even more simplified.

With our colour coded Ceveron symbol, the actual system status can be spotted at the first glimpse.











With just one klick you can place samples, mark them as



the reagents or just Then







actual status. After your cuvettes, just your sample testing. Meanwhile you can check your



results or



your last calibration curves. After receiving the test results you can compare your,



)) the results manually or automatically to your LIS, or ((())) them. If you have new lots of QC material,



vou can use the



or enter the target values manually. When performing a new calibration, after



to run your samples. If you have written your own tests, you can easily them



to a second or

ceveron 100 series c) instrument. third

All patient, control and calibration results will be stored on the Ceveron until you





All steps are as easy as above, for Quenching and



parameters.

Occasionally you have to



your system solution. Once a week you have to perform some



which claims 15 minutes of your valuable time.

Although we really appreciate all our Ceveron users, you will have a



visit just once per year.

Needless to say, we can also keep in



using



connection, if you need further

assistance, working with your new





c) instruments.



CEVERON 100 series SPECIFICATIONS

| Test Menu | Clotting, chromogenic, turbidimetric assays TGA Module*, Quenching Module* | | |
|-----------------------|--|--|--|
| Optics | 4 channels with 4 wavelengths each wavelengths: 405, 540, 630, 740 nm 4 channels TGA Module* 4 channels Quenching Module* | | |
| Samples on board | 36 (24 primary tubes +12 for sample cups) | | |
| Reagents on board | 32 14 (12-18 °C), 10 (RT) 8 buffers and diluents | | |
| Cuvettes on board | 84 | | |
| Tests per sample | 36 | | |
| Sample volume | 5 - 400 μL | | |
| Reagent volume | 5 - 400 μL | | |
| Throughput | 75 PT/h | | |
| STAT | Yes, up to 8 samples | | |
| Quality control | Integrated, user defined QC limits, Westgard rules | | |
| Patient data storage | unlimited | | |
| Operating system | Windows 10 | | |
| Dimensions (analyzer) | 750 mm x 675 mm x 420 mm (w x d x h) | | |
| Weight | 40 kg | | |

| Sample barcode reader | ✓ |
|---------------------------------|----------|
| Reagent barcode reader | √ |
| Sample and reagent level sensor | 1 |
| Continuous operation | 1 |
| Sample predilution | 1 |
| Calibration curve predilution | √ |
| Reaction curve availability | √ |
| Security system | √ |
| Primary and secondary vials | √ |
| Bi-directional interface | √ |
| Host query function | √ |
| Events log system | √ |
| Rerun and reflex testing | ✓ |
| User defined tests | ✓ |
| | |

 st depending on instrument

| Product | Description | REF | Package |
|--------------|--|---------|---------|
| Ceveron c100 | Fully automated coagulation analyzer for clotting , chromogenic and turbidimetric assays | 9822010 | 1 pc. |
| Ceveron t100 | Fully automated coagulation analyzer for clotting , chromogenic , turbidimetric and fluorogenic assays (TGA Module) | 9822110 | 1 pc. |
| Ceveron s100 | Fully automated coagulation analyzer for clotting , chromogenic , turbidimetric fluorogenic and quenching assays (TGA Module and Quenching Module) | 9822210 | 1 pc. |

Technoclone Herstellung von Diagnostika und Arzneimitteln GmbH

Brunner Str. 67 1230 Vienna Austria

Phone: +43 1 86373-0 Fax: +43 1 86373-44 products@technoclone.com www.technoclone.com











